

Payment Te NET30	FOB Destination	Ship Via: VNDR	PCC: X	PO Date: 04/25/2024	PO End Date: 05/10/2024	PO Method: DG	Dispatch: Dispatch Via Pr	Rev Dt: int
PLEASE NC	TE: ADDITIONAL TERM	IS AND COND		AT BE LISTED A	I THE END OF THE	PURCHASE OR	DEK.	
Vendor:	BULLCHASE INC 3000 Polar Ln Ste 703 CEDAR PARK TX 78613 United States	3-3073			Ship To:	400 Aus	0 - TxDMV Ware 0 Jackson Avenue tin TX 78731 ted States	
Vendor ID:	1263718834 8 000				Ship To At Bill To:	400 Aus	ryl Thomas Jennir 0 Jackson Avenue tin TX 78731 ted States	0
Purchaser: Phone: Fax:	Maxwell Alexander Brow 512/465-4000	'n				Unit		
I UA.					Bill To Fax	:		
Email:	maxwell.brown@txdmv.g	jov			Bill To Em	ail: DM'	V_FIN-INVOICES	@TxDMV.gov
PO Inform	ation:							

Change Orders:

Change orders will be allowed only if unforeseen conditions arise such as, but not limited to, increasing or decreasing quantities or if the department needs dictate changes. All changes shall be in the scope of original work. No verbal change orders shall be permitted. All change orders must be in writing with a Purchase Order Change Notice (POCN) issued by TxDMV Purchasing Section.

Payment:

Payment will be made in accordance with the Texas Prompt Payment Act, TGC, Subtitle F, Chapter 2251. Vendor shall submit one copy of a correct itemized invoice showing the purchase order number, payee ID., remit to address, and phone number on invoice. Vendors may submit an electronic invoice. All electronic invoices shall be sent to DMV_FIN-INVOICES@txdmv.gov (note: There is an underscore "_" between DMV and FIN). All invoices received at the email address will be filed for future reference and you will receive a receipt confirmation email. To avoid the confusion of duplicate invoices, please do not send other copies of this invoice via regular mail, fax or other means. On emails for electronic invoices, include the company name (as it appears on the invoice) and the purchase order number in the subject line to assist in identifying and processing your invoices in a timely manner. TxDMV will not incur any penalty for late payment if payment is made in 30 days or less from receipt of goods or services and a correct invoice, whichever is later.

Note: Warrants will not be issued to a vendor without a current Texas Identification Number.

Quantity(ies):

Quantities are estimated: TxDMV does not guarantee to purchase any minimum or maximum quantity. TxDMV reserves the right to increase or decrease the quantity(ies) of the purchase order at the same original terms and conditions. The vendor will be notified in writing by purchase order change notice of any requirements for any increased or decreased quantity(ies).

Delivery:

Delivery of goods shall be in accordance with the delivery requirements of this purchase order, any underlying or associated contract for the goods being purchased and any other requirements set for by TxDMV or state law. Upon delivery, the bill of lading shall include at a minimum the following information: TxDMV Division and Contact Name, TxDMV Purchase Order number, Delivery Address, Vendor contact information and return address. If the vendor has an updated delivery schedule or more accurate delivery date, the vendor shall notify the TxDMV contact immediately.

Additionally, this Purchase Order is governed by the current TxDMV Contract Affirmations and TxDMV Contract Terms and Conditions, unless modified by Supplemental Conditions approved and provided by TxDMV. These documents can be found at: http://www.txdmv.gov/contractors-vendors. For the avoidance of doubt, unless expressly stated otherwise in this Purchase Order or a TxDMV signature document, in the event of a conflict, ambiguity, or inconsistency between or among any Purchase Order documents, all TxDMV documents take precedence over the Contractors documents, if any.

This procurement is governed by the terms and conditions in CPA Contract Number TXMAS-18-51V06.

Vendor Quote Number: 85323

Authorized Signature

Maxwell Brown



Darryl Jennii	tract Monitor: ngs gs@txdmv.gov							
Vendor Cont Marianne Ga info@bullcha (888) 558-28	alea ase.com							
Line-Sch: 1-1	Line Description: Shrink Tubing 4 ft Blk 0.35 in ID PK5 Description: Heat Shrink Tubing Heavy Wall Material Cross-Linked Polyolefin with Adhesive Flame Retardant No Adhesive Lined Yes Shrink Ratio 3 1 Use With Wire Size 14 AWG to 10 AWG I. D. Before Shrinking 0.35 in I.D.	PCA : 31103	Class/Item: 285/95	Quantity: 1.0000	UOM: EA	Unit Price: \$93.29000	Extended Amt: \$93.29	Due Date: 05/10/2024
					<u>ReqID:</u> 0000014	4875	Schedule Total	\$93.29
						Item ⁻	Total for Line # 1	\$93.29
Line-Sch: 2-1	Line Description: Relay Socket Module Diode 2Pin 6-250VDC Description: Expansion Module For Use With Relay Sockets Module Function Expansion Compatible Series G L Q R Standards E49375 Height 1.1 in Length 0.3 in Width	PCA: 31103	Class/Item: 285/73	Quantity: 40.0000	UOM: EA	Unit Price: \$1.69000	Extended Amt: \$67.60	Due Date: 05/10/2024
	0.5 in QUANTITY: Forty (40) each				<u>ReqID:</u> 0000014	4875	Schedule Total	\$67.60
						Item [·]	Total for Line # 2	\$67.60

Maxwell Brown



Line-Sch: 3-1	Line Description: Automotive Relay Change Over 20A @ 12V B1 Description: Automotive Relay Coil Voltage 12V DC Contact Form SPDT Contact Rating (DC) 20 A @ 12V Number of Pins 5 Pin Configuration B1 Mounting Style Plug-In Application Change Over Body Depth 1.03 in Body Heig	PCA: 31103	Class/Item: 285/64	Quantity: 40.0000	UOM: EA <u>ReqID:</u> 0000014		Extended Amt: \$207.60 Schedule Total	Due Date: 05/10/2024 \$207.60
							Total for Line # 3	\$207.60
Line-Sch: 4-1	Line Description: Toggle Switch SPDT 10A @ 277V Solder Lug Description: Toggle Switch Contact Form SPDT Number of Connections 3 Switch Function On/Momentary On AC Contact Rating 10A @ 277V AC 20A @ 125V AC HP 3/4 hp Terminals Solder Lug Mounting Hole 0.50 in dia DC Conta	PCA: 31103	Class/Item: 285/79	Quantity: 40.0000	UOM: EA	Unit Price: \$5.05000	Extended Amt: \$202.00 Schedule Total	Due Date: 05/10/2024 \$202.00
					<u>ReqID:</u> 0000014	1875		4202.00
						Item ⁻	Total for Line # 4	\$202.00

Authorized Signature

Maxwell Brown



Line-Sch: 5-1	Line Description: Primary Wire 18 AWG 1 Cond 100 ft Brown Description: Primary Automotive Wire Number of Conductors 1 Wire Size 18 AWG Insulation Material PVC Wire Color Brown Length 100 ft Voltage 60 V Trade Designation GPT Conductor Design Stranded Jacket Color Brown C	PCA: 31103	Class/Item: 450/92	Quantity: 1.0000	UOM: EA	Unit Price: \$10.55000	Extended Amt: \$10.55	Due Date: 05/10/2024
					<u>ReqID:</u> 0000014	4875	Schedule Total	\$10.55
						Item ⁻	Total for Line # 5	\$10.55
Line-Sch: 6-1	Line Description: Primary Wire 18 AWG 1 Cond 100 ft Black Description: Primary Automotive Wire Number of Conductors 1 Wire Size 18 AWG Insulation Material PVC Wire Color Black Length 100 ft Voltage 60 V Trade Designation GPT Conductor Design Stranded Jacket Color	PCA: 31103	Class/Item: 450/92	Quantity: 2.0000	UOM: EA	Unit Price: \$11.54000	Extended Amt: \$23.08	Due Date: 05/10/2024
	Black C				<u>ReqID:</u> 0000014	4875	Schedule Total	\$23.08
						Item ⁻	Total for Line # 6	\$23.08

Maxwell Brown



Line-Sch: 7-1	Line Description: Primary Wire 18 AWG 1 Cond 100 ft Red Description: Primary Automotive Wire Number of Conductors 1 Wire Size 18 AWG Insulation Material PVC Wire Color Red Length 100 ft Voltage 60 V Trade Designation GPT Conductor Design Stranded Jacket Color Red Conduct	PCA: 31103	Class/Item: 450/92	Quantity: 2.0000	UOM: EA	Unit Price: \$11.21000	Extended Amt: \$22.42	Due Date: 05/10/2024
	Conduct				<u>ReqID:</u> 000001/	4875	Schedule Total	\$22.42
						Item 1	Fotal for Line # 7	\$22.42
Line-Sch: 8-1	Line Description: Inflator Gauge 10 to 120 psi Description: Dual Head Tire Inflator Gauge Product Type Single-Tire Inflator Gauges Chuck Type Straight Long-Reach Push- On Includes Not Applicable Maximum Operating Air Pressure 120 psi Head Style Dual Number of Tire Inflato	PCA: 31103	Class/Item: 863/05	Quantity: 1.0000	UOM: EA	Unit Price: \$62.99000	Extended Amt: \$62.99	Due Date: 05/10/2024
					<u>ReqID:</u> 000001/	4875	Schedule Total	\$62.99
						Item 7	Fotal for Line # 8	\$62.99
Line-Sch: 9-1	Line Description: Ltd Ext Crd 50ft 12Ga 15A SJTW Yel/Blk Description: Lighted Extension Cord Location Outdoor Cord Length 50 ft Wire Size 12 AWG Max Amps 15 A Voltage 125V AC Plug Configuration NEMA 5-15P Receptacle Configuration NEMA 5-15R Cord Ending	PCA: 31103	Class/Item: 450/25	Quantity: 2.0000	UOM: EA	Unit Price: \$58.98000	Extended Amt: \$117.96	Due Date: 05/10/2024
	Single Connector N				<u>ReqID:</u> 000001/	4875	Schedule Total	\$117.96
						Item 1	Fotal for Line # 9	\$117.96
					Authoriz	zed Signature		
					Aution	acu orginatur e		

Maxwell Brown



Line-Sch: 10-1	Line Description: Angled Air Chuck 0 to 150 psi Description: Angled Air Chuck Product Type Heavy-Duty Tire Chucks Chuck Type Straight Long- Reach Push-On Includes Not Applicable Maximum Operating Air Pressure 150 psi Head Style Dual Number of Tire Inflators 1 Pressure Inc	PCA: 31103	Class/Item: 863/05	Quantity: 2.0000	UOM: EA	Unit Price: \$12.75000	Extended Amt: \$25.50	Due Date: 05/10/2024
					<u>ReqID:</u> 000001		Schedule Total	\$25.50
						Item To	tal for Line # 10	\$25.50
Line-Sch: 11-1	Line Description: 11 wt oz Aerosol Lubricant Green Item: a Recycled, Remanufactured or Environmentally Sensitive product Description: General Purpose Lubricant Wet CRC Power Lube(R) Net Fill 11 oz Container Size 16 oz Lubricant Container Aerosol Can Petroleum Distillates	PCA: 31103	Class/Item: 405/27	Quantity: 1.0000	UOM: EA	Unit Price: \$19.58000	Extended Amt: \$19.58	Due Date: 05/10/2024
					<u>ReqID:</u> 000001		Schedule Total	\$19.58
						Item To	tal for Line # 11	\$19.58
Line-Sch: 12-1	Line Description: PortableLockoutKit Filled Electrical Red Green Item: a Recycled, Remanufactured or Environmentally Sensitive product Description: Portable Lockout Kit Filled Yes Number of Lockouts Included 2 Number of Tags	PCA: 31103	Class/Item: 345/66	Quantity: 1.0000	UOM: EA	Unit Price: \$114.15000	Extended Amt: \$114.15	Due Date: 05/10/2024
	Included 2 Carrying Case Type Pouch Included L				<u>ReqID:</u> 000001		Schedule Total	\$114.15
						ltem To	tal for Line # 12	\$114.15

Maxwell Brown



Line-Sch: 13-1	Line Description: HARRIS 97/3 Solder Wire Description: Solder Wire Form Flux-Cored Wire Material Composition 97 Percent Tin 3 Percent Copper Wire Diameter 0.0625 in Weight 1 lb Melting Temperature (Maximum) 445 Degrees F Flux Type Rosin Solder Series 97/3 Application App	PCA: 31103	Class/Item: 895/90	Quantity: 1.0000	UOM: EA	Unit Price: \$56.77000	Extended Amt: \$56.77 Schedule Total	Due Date: 05/10/2024 \$56.77
					<u>ReqID:</u> 000001/	4875		\$30.77
						Item To	otal for Line # 13	\$56.77
Line-Sch: 14-1	Line Description: Alligator Clip Non Insulated PK4 Description: Alligator Clip Set Non-Insulated Wire Range (AWG) #22 - #14 Color - Insulation Type - Max Jaw Opening 5/16 in Max Voltage - Max Temp - Material of Construction Steel Connection Screw and/or Crimp Standards -	PCA: 31103	Class/Item: 285/95	Quantity: 2.0000	UOM: EA	Unit Price: \$2.63000	Extended Amt: \$5.26	Due Date: 05/10/2024
					<u>ReqID:</u> 000001/		Schedule Total	\$5.26 \$5.26
Line-Sch: 15-1	Line Description: BATTERY DOCTOR Battery Charger and Maintainer: Charging/Maintaining, Auto, Smart, 6.5 ft Cable Lg, For Battery Voltage(s): 12 VDC, 24 VDC, Grainger Item 48VF14, Mfr. Model 20068 Product Description: Wall-mounted battery chargers plug	PCA: 31103	Class/Item: 450/92	Quantity: 2.0000	UOM: EA	Unit Price: \$153.66000	Extended Amt: \$307.32	Due Date: 05/10/2024
	straight into a wal				<u>ReqID:</u> 000001/		Schedule Total	\$307.32 \$307.32
					Authoriz	zed Signature		

Maxwell Brown

<u>04/25/2024</u>



Line-Sch: 16-1	Line Description: APPROVED VENDOR Anchor Shackle: Anchor Shackle, 17,000 lb Working Load Limit, Carbon Steel, Silver, Item 55AY12, Mfr. Model 55AY12 Product Description: Anchor shackles for lifting can be side-loaded or used as anchor points for connecting multiple sling	PCA: 31103	Class/Item: 450/92	Quantity: 4.0000	UOM: EA <u>ReqID:</u> 000001		Extended Amt: \$77.80 Schedule Total	Due Date: 05/10/2024 \$77.80
						Item To	otal for Line # 16	\$77.80
Line-Sch: 17-1	Line Description: Padlock: 19/32 in Vertical Shackle Clearance, 1 23/32 in Horizontal Shackle Clearance, 3 in D x 1 in Item 48RG85Mfr. Model 6271 Product Description: Zinc die-cast lock body padlocks resist corrosion, so they can be used for both indoor and outdoor appli	PCA: 31103	Class/Item: 450/55	Quantity: 2.0000	UOM: EA RegID:	Unit Price: \$42.46000	Extended Amt: \$84.92 Schedule Total	Due Date: 05/10/2024 \$84.92
					000001	4875	otal for Line # 17	\$84.92
Line-Sch: 18-1	Line Description: WELLER Holder/ Helping Hand Item 799RR7Mfr. Model WLACCHHB-02	PCA: 31103	Class/Item: 895/90	Quantity: 1.0000	UOM : EA <u>ReqID:</u> 000001	Unit Price: \$29.82000	Extended Amt: \$29.82 Schedule Total	\$84.92 Due Date: 05/10/2024 \$29.82
						Item To	otal for Line # 18	\$29.82

Maxwell Brown



Line-Sch: 19-1	Line Description: Locking Sprinkler Plier: 2	PCA: 31103	Class/Item: 895/90	Quantity: 1.0000	UOM: EA	Unit Price: \$136.24000	Extended Amt: \$136.24	Due Date:
9-1	3/4 in Jaw Lg, 1 1/2 in Max Jaw Opening, 12 in Overall Lg, Std Handle, V Item 45YP75Mfr. Model STI-QT Product Description Locking sprinkler pliers stop water spray from individual sprinkler heads without shutting off water to	31103	042/30	1.0000	EA <u>ReqID:</u> 0000014	S	\$136.24 Schedule Total	05/10/2024 \$136.24
							al for Line # 19	\$136.24

. Texas Department of Motor Vehicles Standard Terms and Conditions can be found at: http://www.txdmv.gov/contractors-vendors

Authorized Signature

Maxwell Brown